Collecting in the "Land Below the Wind", Herpetological Explorations of Borneo

Indraneil DAS

Institute of Biodiversity and Environmental Conservation Universiti Malaysia Sarawak, Malaysia

Abstract. Herpetological explorations and collections from Borneo, including the East Malaysian States of Sarawak and Sabah, as well as the Indonesian Province of Kalimantan, are described. Borneo was far off the commercial trade route of Europe, and consequently, biological explorations of this large tropical island were to commence much later than in other adjacent regions, such as Java and Sumatra. Some of the earliest collectors include James MOTLEY, Alfred Russel WALLACE, Odoardo BECCARI and William Temple HORNADAY. The Sarawak Museum at Kuching has historically played an important role in the exploration of Borneo, and many leading naturalists of the day were based here – Eric MJÖBERG, Robert SHELFORD and Tom HARRISSON. Dutch explorations of their former colony – Kalimantan, commencing from the establishment of the Natuurkundige Commissie voor Nederlanse Indies in 1820, have been important, and significant collections from this southern portion of Borneo were reported on by Hermann SCHLEGEL, Salomon MÜLLER, Pieter BLEEKER, Theodorus Willem VAN LIDTH DE JEUDE, Jan Kornelis DE JONG and Leo BRONGERSMA. The continuing new discoveries of amphibians and reptiles in recent years indicate that much remains to be learned about the herpetofauna of Borneo.

Key words. Sarawak, Sabah, Kalimantan, Sarawak Museum, Zoölogisch Museum te Buitenzorg, history of herpetology.

1. INTRODUCTION

The second largest (after New Guinea) tropical island (area ca. 575,000 km²) in the world, Borneo straddles the equator, and thereby receives rainfall spread throughout the year. Mountain ranges extend in a north-east to south-west direction, separating (the once Dutch-held) Kalimantan from the northern former British protectorates of Sarawak, Brunei and British North Borneo (now Sabah). Because of the location of the island south of the area prone to cyclones and hurricanes, Borneo and adjacent regions have been referred to as "Land below the Wind" by seafarers and travellers.

Being far from trade routes to either India or China, Borneo featured poorly in ancient maps of south-east Asia (SUÁREZ 1999) and remained isolated from the western world. Early trading links did exist between coastal regions of northern Borneo and both India and China, as archeological evidence indicates (SAID 1999). In the Sixteenth Century, emissaries of Spain and Portugal reached the shores of the island, and in 1609, there was a brief British interest in the island (HARLOW 1955). However, it was to be the Dutch and the British who were to control the island from the Seventeenth Century till the end of World War II, when Indonesia (in 1949) and Malaysian Borneo (in 1962) gained independence from colonial rule. British interests in the Far East grew primarily to protect commerce (primarily tea, but also silk and ivory) in China in the late 1700s (WRIGHT 1970). The major shipping lanes in the South

China Sea, particularly along south-western Borneo, were prone to piracy, leading to the establishment of Singapore. Independent of the British Crown Government, the English adventurer, James BROOKE arrived in Sarawak in 1839, and for helping the Sultan of Brunei in quelling a local rebellion in 1840, was awarded the territory. Self-proclaimed Rajah, BROOKE started to rule north-western Borneo in 1842. The political stability of Sarawak, as a result of the rule of the BROOKES and the support given to visiting European intellectuals soon began to attract, among others, natural historians and collectors curious about the natural production of this great island.

Because the history of herpetology, and indeed biological research in general, of Borneo started relatively recently compared to other parts of the Indo-Malayan region, such as Java (RAFFLES 1817; HORSFIELD 1821-1824) or Sumatra (MARSDEN 1811; RAFFLES 1822; see also GALLOP 1995), natural history drawings have not played an important part in the advancement of scientific knowledge on Borneo. As recently as 1832-1834, English traveller G. W. EARL (1837) remarked that the north-west coast of Borneo, from Tanjung Datu to Brunei "is scarcely known even to the native trader". The first checklist of the amphibians and reptiles of Borneo appeared in an appendix of a book published in 1848 by the Scottish botanist, Hugh Low (1824–1905), who was described as an admirer and disciple of James BROOKE (1803-1868), the First Rajah of Sarawak. The work listed 19 species of reptiles and three of amphibians

(although several more were mentioned in the text itself, including unspecified "land tortoises" of two species, flying lizards, *Draco volans* Linnaeus, 1758, etc.). For some, only generic identities were provided, the list evidently prepared on the basis of specimens existing at the time in the British Museum, London (COWAN 1968).

In this essay, the history of herpetological explorations of Borneo is traced from around the middle of the 1800s, with the establishment of the rule of the BROOKES in Sarawak, to around the end of the colonial period, with the independence of Malaysia and Indonesia.

2. EXPLORATIONS OF BRITISH BORNEO IN THE 1800S

The earliest specimens in western museums came from collections made by European residents of Sarawak and from the Dutch settlements of what is now Kalimantan, or by explorers in search of botanical or zoological specimens. For instance, in 1864, the British Museum (Natural History), London (now, the Natural History Museum, London), received from Borneo a collection made by Lewis Llewellyn DILLWYN (?-?), from "Labuan and Borneo", some of the collections made with the assistance of James MOTLEY (1814-1892), a civil engineer with the Eastern Archipelago Company at the Labuan coal mines (1851–1854), and later at Banjarmasin (1854-1859). It was the intention of the duo to publish an illustrated work on the natural history of Borneo, along the lines of their 1855 work on the natural history of Labuan and adjacent areas of northern Borneo, which was abandoned after MOTLEY's untimely death (SMYTHIES 1957). The British Museum, in 1872 and 1893-1894, purchased a collection made by Alfred Hart EVERETT (GÜNTHER 1872; BOULENGER 1906).

At about the same time, Italian nobleman Marquis Giacomo DORIA of Genoa (1840-1913) and botanist Odoardo BECCARI (1843-1920) were collecting on the island as well, landing on the shores of Borneo in June 1865. DORIA returned to Europe early, on account of ill health, while BECCARI, who was later to become famous for his botanical collections (see biographies in CRAN-BROOK 1986; SAINT 1987), remained till 1868. BECCARI made some significant collections of amphibians and reptiles (see SHELFORD 1905b, for BECCARI's route and activities) that were worked on by Wilhelm Carl Hartwig PETERS (1815-1883), who wrote two papers in 1871 and 1872, and by PETERS & DORIA (1878), who described numerous herpetological novelties collected by the expedition of DORIA and BECCARI to Borneo. The types of these species are at present extant either in the Zoologisches Museum für Naturkunde, in Berlin (BAUER et al. 1995) or Museo Civico di Storia Naturale di Genova, Genova (CAPOCACCIA 1957; 1961). Unfortunately, the localities of collection were not precise, although DORIA and BECCARI concentrated their collecting activities in Sarawak (see BECCARI 1902, English translation, 1904, for an account of the expedition). From the Kanowit River, in the interior of Borneo, BECCARI reported a palustrine crocodile, possibly the enigmatic *Crocodylus raninus* Müller & Schlegel, 1844 ("Boaya katak" or frog crocodile), although it was not mentioned if a specimen was actually secured. In all, the Italian expedition collected 88 species, of which 19 were reported as new to science.

Perhaps the most celebrated collector of all to visit Borneo was Alfred Russel WALLACE (1823-1913), cofounder with Charles Robert DARWIN (1809-1882) of the theory of evolution through natural selection. Already well travelled in Amazonia, WALLACE's collecting activities on Borneo were on the Simunjon and Sadong Rivers of Sarawak, and his material is at present in The Natural History Museum, London (field sites in Borneo visited listed in BAKER 2001). Wallace arrived in Sarawak from Singapore on 1 November 1854; he left Sarawak on 25 January 1856 (BASTIN 1986). Although insects were his primary target, he also collected herpetological specimens. In his now famous work, The Malay Archipelago, WALLACE (1896: 49-50) described the discovery of Rhacophorus nigropalmatus BOULEN-GER, 1895 thus:

"One of the most curious and interesting reptiles which I met with in Borneo was a large tree-frog, which was brought me by one of the Chinese workmen. He assured me that he had seen it come down, in a slanting direction, from a high tree, as if it flew. On examining it, I found the toes very long and fully webbed to their very extremity, so that when expanded they offered a surface much larger than the body. The fore legs were also bordered by a membrane, and the body was capable of considerable inflation. The back and limbs were of a very deep shining green color, the under surface and the inner toes yellow, while the webs were black, rayed with yellow. The body was about four inches long, while the webs of each hind foot, when fully expanded, covered a surface of twelve square inches. As the extremities of the toes have dilated discs for adhesion, showing the creature to be a true tree-frog, it is difficult to imagine that this immense membrane of the toes can be for the purpose of swimming only, and the account of the Chinaman that it flew down the tree becomes more credible. This is, I believe, the first instance known of a "flying frog". And it is very interesting to Darwinians, as showing that the variability of the toes, which have been already modified for purposes of swimming and adhesive climbing, have been taken advantage of to enable an allied species to pass through the air like the flying lizard".

WALLACE is known to have influenced James BROOKE (1803–1868) to establish the Sarawak Museum (BANKS 1983; LEH 1993). The temporary building opened to the public in 1886, the present building in 1891. The museum was further developed through the encouragement of his successors, Charles BROOKE (1829-1917) and Charles Vyner BROOKE (1874–1963), along the lines of western museums of the time (MAITLAND 1998). Thus, with the solid support of the government, the hiring of professional curators and the publication of scientific results in the museum's official organ, the Sarawak Museum Journal, the Museum was to flourish in the century to follow. The first Curator of the Museum was John E. A. LEWIS (?-?), appointed in 1888 (HARRISSON 1961). He was succeeded by George Darby HAVILAND (1857–1901) who served 1893–1895 and was primarily interested in botany and ornithology. There are no records of herpetological researches (apart from HAVI-LAND's collections from Sarawak, and also, during a trip to Gunung Kinabalu – see JENKINS 1996), carried out by the first two Curators of the Museum.

Edward BARTLETT (ca. 1836-1908) was Curator of the Sarawak Museum from 1895 to 1897, and it was during his time that the zoological collections of the Museum started to grow. His most important herpetological contribution was a 24 page account of the crocodiles and lizards of Borneo that were represented in the Sarawak Museum, including the description of eight new species of lizards (BARTLETT 1895e). Bartlett also wrote a series of papers in The Sarawak Gazette, the monthly official gazette for the staff of the Civil Service (many of whom generously donated specimens to the Museum), on turtles and tortoises (1894a, 1895a, 1895b, 1896b), amphibians (1894b) and snakes (1895c, 1895d, 1896a, 1896c). These were essentially checklists, annotated with locality records and, occasionally, brief descriptions and natural history tidbits, and were reprinted in a book edited by BARTLETT (1896d). A biography of this early naturalist is in DAS (2000).

Two prominent Englishmen, both civil servants in the employ of the Sarawak Civil Service and the British North Borneo Company, were to become famous as collectors of amphibians and reptiles of Borneo in the late 19th Century – Charles HOSE and Alfred EVERETT. Although neither published specifically on herpetology, they made collections available (usually through sale) to various museums in Europe and the United States, where they were worked on by museum-based systematists.

Alfred Hart EVERETT (1849–1898) came to Sarawak to study cave deposits at the recommendation of the famous British geologist, Charles LYELL (1797–1875), and also to collect natural history specimens for sale to museums and private collectors (CRANBROOK & LEH

1983). EVERETT (see ANONYMOUS 1898, for an obituary notice) was, at various times, in the employ of the Sarawak Civil Service (between 1872–1876 and 1885–90) and the British North Borneo Company (1876–1883), and collected amphibians and reptiles from both areas which were described by GÜNTHER (1872) and BOULENGER (1893, 1895a, 1896) at the British Museum, London.

EVERETT's collecting zeal and commercial skill is thought to have inspired Charles HOSE (1863–1929), who joined the Sarawak Civil Service under EVERETT in 1884. HOSE is best known as an amateur ethnographer, but surpassed his mentor in the business of collecting and selling botanical and zoological specimens, which reached many museums around the world (DAVIES & HULL 1976). This undoubtedly supplemented his income, stretched during his working life by his generous hospitality to scholars from overseas (DURRANS 1993), and perhaps also supported him after an early retirement from the Service. HOSE's herpetological collections, from Mt. Dulit, and other then inaccessible localities in Sarawak, were reported on by BOULENGER (1893, 1895b). HOSE's scientific contributions, including publications, have been enumerated by NUTTALL (1927). Among numerous visitors HOSE worked with, or provided specimens to, were the HARRISON-HILLER Expedition in 1897–1898, lead by Alfred Craven HARRISON, Jr. (1869–1925) and Hiram Milliken HILLER (1867– 1921), and the Furness Expedition lead by William Henry FURNESS, III (1868–1920) from the University of Pennsylvania (FURNESS 1897; STONE 1900; MEDWAY 1965). The routes taken by these expeditions have been depicted in KATZ (1988), and herpetological specimens collected were deposited in the Wistar Institute and are at present in The Academy of Natural Sciences, Philadelphia (BROWN 1902).

Among early American collectors in Borneo was William Temple HORNADAY (1854-1937), whose expedition to Asia was sponsored by Henry Augustus WARD (1834-1906), Professor of Natural Science at the University of Rochester. HORNADAY's collecting activities were restricted to Sarawak (HORNADAY 1885), and concentrated on large species of commercial interest, including orang utans (Pongo pygmaeus [Linnaeus, 1760]), and crocodiles, and also various species of amphibians and reptiles. An examination of the lists of HORNADAY's material at the Museum of Comparative Zoology, Harvard College, indicate that he must have collected primarily from lowland sites. Other specimens were presumably retained by the University of Rochester's Natural Sciences Establishment that WARD founded (GULLICK 1993). This early Bornean material included several novelties: Draco gracilis BARBOUR (1904a), at present synonymized under D. cornutus Günther, 1864 and Nectes obscurus Barbour, 1904b,

now Pseudobufo subasper Tschudi, 1839. HORNADAY's great interest in crocodilians is expressed several times in his writings, and his specimen of Crocodylus raninus, now in the Museum of Comparative Zoology (MCZ 6727), from an unknown Bornean locality (presumably in Sarawak) is still one of few specimens known of this enigmatic freshwater crocodilian (see Ross 1990). At the time of HORNADAY's visit to Sarawak, crocodiles were caught for the government reward of 35 cents per foot, and in 1878 alone, 266 crocodiles were brought to Kuching for destruction, and an amount of \$738.28 paid in rewards. At present, crocodilians are protected by legislation in Sarawak, and at places, such as the Batang Lupar, continue to take human lives (see RITCHIE & JONG 2002; STUEBING 1985; STUEBING et al. 1985). A biography of HORNADAY is in GULLICK (1993).

The most spectacular novelty to come out of Borneo at that time is the so-called Bornean earless monitor, Lanthanotus borneensis Steindachner, 1877, described as a new family, genus and species by Franz STEINDACHNER (1834-1919), Curator of Naturhistorisches Museum Wien (STEINDACHNER 1877). The second specimen to be seen in Europe, one on loan from the Rajah of Sarawak, was exhibited at a meeting of the Zoological Society of London in 1899 (Anonymous 1899). Although a precise locality was not provided in the original description, this species is now known from lowland sites in eastern and central Sarawak (MANTHEY & GROSSMANN 1997). The Rajah of Sarawak, as well as his staff were also important donors of herpetological specimens to the British Museum, which were described by a succession of curators in London.

The most successful scientific expedition of the time was one by John WHITEHEAD (1860-1899), an ornithologist who visited Mount Kinabalu in 1887-1888 (JENKINS 1996; WONG 1995). WHITEHEAD'S herpetological material was reported on by both BOULENGER (1887) at the British Museum (Natural History) and MOCQUARD (1890) at the Musée National d'Histoire Naturelle, Paris, although no consensus was reached on the validity of some of the species described by the latter (see BOULENGER 1891). MOCQUARD's list shows 204 species for Borneo - 49 amphibians and 155 reptiles. WHITEHEAD's (1893) massive monograph on the mountain and its plant and animals life include reprints of papers by others that were based on his collections. On the heels of WHITEHEAD was the 1899 expedition lead by Karl Richard HANITSCH (1860–1940), of the Raffles Museum, Singapore, primarily to add to the collections of that museum. A large number of zoological specimens was collected (HANITSCH 1900); the amphibians and reptiles, included three new species of squamates and a new genus of snake (Oreocalamus Boulenger, 1899).

Towards the end of the century, around the early 1890s, Jan Christiaan PRAKKE (1860-?), who became an elected member of the Koninklijke Natuurkundige Vereeeniging in Nederlansch Indië in 1887 (biography in FRANSEN et al. 1997), collected amphibians and reptiles from the neighbourhood of Sandakan Bay, in the then British North Borneo. The collection is extant in Naturalis, the Nationaal Natuurhistorisch Museum, Leiden, and was reported on by Theodorus Willem VAN LIDTH DE JEUDE (1893). It contained one new species -Japalura ornata van Lidth de Jeude, 1893 (at present Aphaniotis ornata) of lizard and two snakes - Calamaria prakkei van Lidth de Jeude, 1893 (considered valid at present) and Bothrops sandakanensis van Lidth de Jeude, 1893 (a synonym of Trimeresurus borneensis [Peters, 1871]).

3. EXPLORATIONS OF DUTCH BORNEO IN THE 1800S

There was little interest in the natural history of the Dutch territories of Borneo during the administration of the Dutch East India Company, which came to an end in 1796. In 1820, with the establishment of the Natuurkundige Commissie voor Nederlanse Indies, naturalists were appointed to explore and collect in the Netherlands East Indies (HUSSON & HOLTHIUS 1955; MOULTON 1914), this predating explorations that were to be supported in the British-held Borneo to the north. Collections for the Dutch museums were made by the German taxidermist, Salomon MÜLLER (1804-1864) of Heidelberg in 1836 from Banjarmasin and the lower reaches of Sungei Barito, from where he described Tomistoma schlegelii (Müller, 1838), the Malayan or Sunda gharial. These areas were visited earlier by the French natural historian and Correspondent of the Museum in Paris, Pierre Médard DIARD (1794-1863) in 1826, when he toured Banjarmasin, Pontianak and the Sungei Barito as Inspector of Agriculture under the Dutch East Indies Government (FRANSEN et al. 1997; GÜNTHER 1872; ROSS 1990). MÜLLER & SCHLEGEL (1844) later published the description of an endemic Bornean freshwater crocodile, Crocodylus raninus, based on these collections, and Hermann SCHLEGEL (1804-1884) described several new species of snakes in two volumes (SCHLEGEL 1837a, 1837b). Diard, who travelled with Alfred DUVAUCEL (1793-1824) to India, Sumatra and Borneo, joined the Natural History Commission of the Dutch Indies in 1829, becoming its head in 1832. Between 1820 and 1825, he sent specimens to the Musée National d'Histoire Naturelle, Paris, but thereafter, his collections were sent to Leiden (KINNEAR 1953).

Other Europeans also collected and/or described material from Borneo contemporaneously with DIARD. The French civil engineer and explorer, Maurice Armand CHAPER (1834–1896) travelled in western Borneo be-

tween November 1890 and January 1891 (described in CHAPER 1894a; 1894b). CHAPER's Bornean collections of amphibians and reptiles from what is now Kalimantan (including Pontianak, Sintang, Sebruang and the drainage of the Kapuas), went to the Muséum National d'Histoire Naturelle, Paris, resulting in a paper by MOCQUARD (1892), which dealt with 25 species of reptiles and eight species of amphibians. Two new genera, one each of reptile (*Idiopholis* Mocquard, 1892, a subjective synonym of Pseudorabdion Jan, 1862) and amphibian (Chaperina Mocquard, 1892, at present valid, named for the collector) were described. A Prussian ornithologist, Friedrich GRABOWSKY (1857-1929), of the museum at Braunschweig, Germany, visited southeastern Borneo, mainly around Banjarmasin and the western Borneo, mainly in the Kapuas area, in 1881-84. GRABOWSKY's collections were reported on by FISCHER (1885), who described, among other species, the colubrid Calamaria grabowskii Fischer, 1885.

One of the most significant herpetological collections were made during the three expeditions by the Dutch Scientific Expedition to Central Borneo, organised by the "Maatschappij tot bevordering van het natuurkundig onderzoek der Nederlandsche Kolonien", between 1893-1900 (see FRANSEN et al. 1997, for an account). Their objectives were to explore the headwaters of the Kapuas River in south-western Borneo in order to collect geological, botanical, zoological and ethnographical material for museums in the Netherlands. The First Expedition was led by Gustaaf Adolf Frederik MOLEN-GRAAF (1868-1942) and Johann BÜTTIKOFER (1850-1927). BÜTTIKOFER, the official zoologist, collected much valuable material by travelling up river, to the Mandai and Sibau Rivers, besides ascending Mount Kenepai and Liang Koebeng (see FRANSEN et al. 1997, for a biography). Also a member of the Expedition as doctor-ethnologist-quartermaster was Anton Willem NIEUWENHUIS (1864-1953), later (1898-99) to become the first European to cross Borneo at its widest part, from Pontianak to Samarinda (SMYTHIES 1955; VAN GOOR 1995). NIEUWENHUIS conducted three expeditions to Borneo, and his name is associated with a mountain range at the source of the Baleh, as well as the remarkable scincid lizard, Lamprolepis nieuwenhuisii. The plant specimens collected were sent to the Botanical Gardens at Buitenzorg (at present Bogor), the preserved animals to the Rijksmuseum (at present Nationaal Natuurhistorisch Museum) in Leiden. The herpetological collections from the Expedition made by BÜT-TIKOFER, and later by NIEUWENHUIS during his travels in central Borneo, were reported by VAN LIDTH DE JEUDE (1905), and are significant in containing several new species that are considered valid today: Ophisaurus buettikoferi van Lidth de Jeude, 1905, Lygosoma buettikoferi van Lidth de Jeude, 1905 (at present in Sphenomorphus Fitzinger, 1843), Lygosoma nieuwenhuisii van Lidth de Jeude, 1905 (at present in Lamprolepis Fitzinger, 1843), Lygosoma hallieri van Lidth de Jeude, 1905 (at present in Sphenomorphus), Tropidophorus iniquus van Lidth de Jeude, 1905 and T. micropus van Lidth de Jeude, 1905. Many of the species reported are rare in collections, and some have not been collected since their original description.

Pieter BLEEKER (1819–1878), an army surgeon with the Dutch East Indian Army, based in Batavia, published extensively on both ichthyology and herpetology (see FRANSEN et al. 1997, for a biography). During his time in the East Indies (1842-1860), he reported on collections made by others from various parts of Dutch East Indies. For instance, he reported on herpetological (and ichthyological) collections made from the west coast of Dutch Borneo and on new species of snakes from Sintang and Sinkawang (BLEEKER 1857, 1859a, 1859b). Bleeker also did some travelling, including two years at Samarang, Surabaya and Ambarawa, as well as a voyage to the Celebes (Sulawesi) and Moluccas (Maluku) in 1856 and founded the Natuurkundige Vereeniging in Nederlansch Indië. BLEEKER (1859c) published a checklist of the herpetofauna of Borneo, which shows 82 reptile and eight amphibian species. Although his herpetological work is substantial, BLEEKER was primarily an ichthyologist, and of his 730 publications, 520 were on fishes (ROBERTS 1989). A herpetological contemporary of BLEEKER was Lieutenant A. C. J. EDELING (?-1895) of the Dutch Navy, who also reported on collections made by others (EDELING 1864a; 1864b). His 1864a paper described a number of new records, and some new species (including Apterygodon vittatum Edeling, 1864, a new genus and species of scincid lizard), based on collections from Banjarmasin made by M. BENJAMINS (?-?), an army physician of the Dutch East Indian Army.

4. EXPLORATIONS OF BRITISH BORNEO IN THE 1900S

Also collecting in British Borneo at the turn of the century was Harrison Willard SMITH (1872–?), a professor of Physics at Harvard College, USA. SMITH collected in Borneo during two visits (1909 and 1911–1912) and donated a large collection of vertebrates as well as insects to the Museum of Comparative Zoology at Harvard. BARBOUR (1921) and BARBOUR & NOBLE (1916) worked on the herpetological collection from Sarawak, which included four new species of amphibians and reptiles (two of which, the frog, *Calliglutus smithi* Barbour & Noble, 1916, now *Calluella smithi*, and the lizard, *Tropidophorus perplexus* Barbour, 1921, are still valid). SMITH collected from the then zoologically unknown regions of Limbang, the Madalam River districts,

Mt. Lundu, the Tinjar River districts and near Gunung Mulu.

Perhaps apprehensive of huge bands of overenthusiastic foreign collectors descending on Sarawak, Charles BROOKE (1906) issued an order (No. IV, 1906), directing collectors or exporters of plants and animals to apply for permits for "a limited quantity only of birds, animals or plants", which was to be issued by the Resident's Office in Kuching.

Meanwhile, the Sarawak Museum continued to flourish. Successive curators added much to its collections and wrote numerous papers describing new species and natural history notes. Equally important, several of them published memoirs of their time in Sarawak. Between 1898 and 1905, the Curator of the Museum was Robert Walter Campbell SHELFORD (1872–1912), who, besides writing a couple of taxonomic papers of herpetological interest, prepared a checklist of the reptiles of Borneo in 1901 (an addenda and corrigenda appeared in 1902). A total of 212 species was listed as occurring (deleting erroneous records and including new reports in SHEL-FORD's 1902 note), and localities were provided for the species listed. Doubtful specimens, including those Shelford thought were new to science, were sent on to BOULENGER at the British Museum to identify or verify, and the types of several new species described by BOULENGER (1900) were eventually donated to the British Museum. An account of the life of SHELFORD, including the history of his incomplete manuscript that was subsequently published as A naturalist in Borneo (1916), is in POULTON (1916).

John Coney MOULTON (1886–1926), during whose time (1908-1915) the Museum building was enlarged, made herpetological collections, but wrote no major papers specific to the subject. He was succeeded by Eric Georg MJÖBERG (1882-1938, born Hallands IAN) who served in this capacity 1922-1924. Although not a herpetologist, remarkable observations on the behaviour of reptiles were penned by MJÖBERG. Ever the adventurer and explorer, in his 1928 work, originally published in Swedish (translated into English in 1930), he wrote "Snakes and other reptiles find a paradise in Borneo, and there develop a beauty of form and splendour of colour which they seldom achieve elsewhere". MJÖBERG went on to describe and provide anecdotal information on many of Sarawak's local snakes and crocodiles. MJÖBERG's herpetological collections, particularly from montane regions (such as Gunung Murud, Gunung Gading, Gunung Penrissen and Gunung Pueh, including the adjacent Gunung Beremput) were studied by the British physician-herpetologist, Malcolm Arthur SMITH (1875– 1958), who wrote a couple of long papers (1925a; 1925b), describing new species. He was to later (SMITH 1931) write an account of the herpetofauna of Gunung Kinabalu, based on a collection of some 600 specimens (now mostly in the Raffles Museum of Biodiversity Research, National University of Singapore) made by Frederick Nutter CHASEN (1897–1942) and H. M. PENDLEBURY (?-?) to this mountains between April and May 1929 (PENDLEBURY & CHASEN 1932). Six new herpetological species were recognised based on this collection.

Edward BANKS (?-?) succeeded MJÖBERG in 1925, remaining during the war years (when he was interned by the Japanese Army) till 1947. BANKS' zoological emphasis was on mammals, and apart from a 1931 paper on crocodiles and a 1937 paper on sea turtles, did not publish on herpetology.

After the devastation of World War II, Tom Harnett HARRISSON (1911-1976) was hired as Government Ethnologist and Curator of the Museum in 1947. HARRIS-SON studied the nesting of sea turtles on the coast of Sarawak, reporting the laying of over 2 million eggs. Those harvested were sold at 2 cents apiece, the proceeds going to various religious and charitable purposes (ANONYMOUS 1949). HARRISSON wrote a series of papers on sea turtle biology in the Sarawak Museum Journal in 18 parts, becoming a prominent spokesperson for their conservation (CHIN 1976). He, his wife, Barbara Brünig HARRISSON née GUTTLER (1922-) and a colleague, the geologist Neville Seymour HAILE (1928–), also reported the rediscovery of Lanthanotus borneensis, till then known in Europe only from the holotype in Vienna and a specimen that was briefly viewed in London in 1899 (B. HARRISSON 1961, 1962; T. HARRISSON 1963; HARRISSON & HAILE 1961), and made specimens available to others, such as Robert Friedrich Wilhelm MERTENS (1894-1975) at the Senckenberg Museum in Frankfurt am Main, Germany, who wrote papers on its morphology and behaviour (MERTENS 1961, 1962, 1966, 1970), the Museum of Comparative Zoology at Harvard, the Field Museum of Natural History, in Chicago and the Rijksmuseum van Natuurlijke Histoire, in Leiden. At the end of World War II, in 1948, HARRIS-SON visited the Kelabit Highlands, primarily to collect large mammals for exhibition in his museum (ANONY-MOUS 1950), the incidentally collected herpetological material was worked on by Michael Willmer Forbes TWEEDIE (1907-1993) and reported in a paper published in 1949. Obituaries of HARRISSON have been written by SMYTHIES (1975) and MEDWAY (1976).

John Augustus GRISWOLD, Jr. (1912–?), an American collector, visited northern Borneo in 1937 as a member of the Asiatic Primate Expedition. Among other places, GRISWOLD worked at Mount Kinabalu in 1937 (SMYTHIES 1957). GRISWOLD's collection resulted in the description of *Calamaria griswoldi* Loveridge (1938), as well as several other new herpetofaunal spe-

cies (LOVERIDGE 1938, 1944) from this mountain range.

5. EXPLORATIONS OF DUTCH BORNEO IN THE 1900S

Although material, plants and animals, collected from its colony in the East Indies were taken back to Europe, and most of these deposited in either the collections at Amsterdam or Leiden, the need was felt for a zoological museum in Java. J. C. KONINGSBERGER (?-?), appointed as a government entomologist between 1898-1917, conceived the idea of a zoological museum which was established in Buitenzorg (Bogor). Zoölogisch Museum te Buitenzorg (at present, Muzium Zoologicum Bogoriense) was established in 1901, and the first herpetological collection received was that gathered by NIEU-WENHUIS in Borneo (LIEFTINCK & BEMMEL 1941, 1945). The Museum's first periodical was Contributions à la Faune des Indes Néerlandaises (1915), which was replaced by Treubia in 1919. The collection was moved in 1999 to a modern building in the nearby town of Cibinong.

Carl Sofus LUMHOLTZ (1851-1922), the celebrated Norwegian explorer and ethnographer, collected zoological specimens incidental to his anthropological studies in central, southern and eastern parts of Dutch Borneo, between 1914-15. He died tragically of an insect sting before his ethographic and other reports could be published, and the only writing left of his Bornean expedition is the 1920 account of his journey (KING 1991). LUMHOLTZ's zoological collections were dispersed, and were worked on by curators of different museums (see VOOUS 1961, for a list). The lizards and amphibians from LUMHOLTZ's collection were deposited in the Zoological Museum in Kristiania and reported on by AN-DERSSON (1923), who described two new species-Aeluroscalabotes longicaudatus Andersson, 1924 (now treated as synonymous with A. felinus (Günther, 1864) and Rana macrodon var. leporina (Andersson, 1923) (at present Limnonectes leporinus, the familiar Bornean giant river frog). The snake collection from the LUM-HOLTZ expedition was deposited in the United States National Museum, Washington, D.C., and worked on by STEJNEGER (1922).

A collection of snakes and lizards was made in 1910 by a German collector, BRUEGEL, for the Staatliches Museum für Naturkunde, Stuttgart and the Zoologische Staatssammlung des Bayerischen Staates, Munich, from unspecified localities in "Central-Borneo". BRUEGEL's material was worked on by MERTENS (1924), who described a new genus, *Hylagama* Mertens, 1924 (at present synonymous with *Harpesaurus* Boulenger, 1885) and a new species, *H. borneensis* (Mertens, 1924) of lizard, and a new species of snake, *Calamaria bruegeli*

Mertens, 1924 (at present a synonym of *C. lumbricoidea* H. Boie in F. Boie, 1827).

A small collection of amphibians and reptiles was made from eastern Borneo in 1925 by the Dutch ornithologist, Hendrik Cornelis SIEBERS (1890–1949) of the "Uitgave van het Indisch Comité voor wetenschappelijke onderzoekingen", and staff of the Zoölogisch Museum te Buitenzorg in charge of vertebrates during the "Midden-Oost-Borneo Expeditie, 1925" (BUIJS et al. 1927). The collections made were from localities in Kalimantan, including Long Petah, Long Hoek, Narak and Marah, and were presented to the Dutch Zoological Museum, Amsterdam and the Nationaal Natuurhistorisch Museum, Leiden. The reptile specimens were reported on by Jan Kornelis DE JONG (1928), who replaced SIEBERS at the Zoölogisch Museum te Buitenzorg and BRONGERSMA (1928), and the amphibians by BRONGERSMA (1937). They included five lizard, 17 snake and 10 amphibian species, none of which was considered new to science, but provide new localities and range extensions of several poorly known species. DE JONG (1930) later reported on a smaller collection of reptiles in the Museum collection, including the description of a new species – Japalura nasuta de Jong, 1930 (at present synonymous with Aphaniotis ornata) and Elapoidis fusca Boie, 1827 (a new record for the island, to be reported again by VOGEL & KÖHLER, 1996), both from unspecified localities in North Borneo. Americans who collected in Dutch Borneo include William Louis ABBOTT (1860–1936), who visited Borneo and Sumatra in his own vessel manned by Malay and Chinese crew. ABBOTT's collection was deposited in the United States National Museum, and was worked on by COCHRAN (1923, 1926), resulting in the description, among others, of a new megophryid, Leptobrachium abbotii (Cochran, 1926), from Balikpapan.

6. THE POST-COLONIAL PERIOD

Following independence of the countries within Borneo (Sarawak, Sabah and Brunei from British rule and Kalimantan from Dutch rule), herpetological research and explorations increased in Sarawak and Sabah, due, in no small measure, to the efforts of a single man – Robert Frederick INGER (1920–) of the Field Museum of Natural History, Chicago. Within the larger portion of Borneo (the Indonesian Kalimantan Province), herpetological research almost ceased, apart for a few concentrated collecting efforts made recently.

The story of discoveries of remarkable new amphibians and reptiles from Borneo is far from over- virtually every sampling continues to yield new species and even new genera and family for the island. BACON (1967); DAS & BAUER (1998); DAS & HAAS (2003), DAS & LIM (2003), DRING (1983a, 1983b, 1987); DE GRIJS (1937);

GÜNTHER & MANTHEY (1995); HAILE & INGER (1959); HIKIDA (1982; 1990); INGER (1957, 1958a, 1958b, 1966, 1967, 1989); INGER et al. (1995, 1996); INGER & FROGNER (1980); INGER & GRITIS (1983); INGER & LE-VITON (1961); INGER & STUEBING (1991, 1994, 1996); ISKANDAR (1978); KIEW (1984a, 1984b); MALKMUS (1992; 1996); MALKMUS & MATSUI (1997); MALKMUS & REIDE (1996); MANTHEY & STEIOF (1998); MATSUI (1986); OTA & HIKIDA (1988, 1991); OTA et al. (1996); STUEBING (1994); STEUBING & WONG (2000) and WAL-LACH & GÜNTHER (1998), all reported on new taxa in the last few decades. Although illustrated field guides to most of the herpetofauna are now available - INGER & STUEBING (1996) for anuran amphibians, STUEBING & INGER (1999) for snakes, DAS (2004) for lizards, and LIM & DAS (1999) for turtles, there remains much to be learned of the amphibians and reptiles of this large is-

Acknowledgements. Curators, other research staff and librarians of many institutions permitted me to examine historical specimens, refer to literature, and were most generous with their time and attention. These include: Ned Gilmore, The Academy of Natural Sciences, Philadelphia; Charles Myers, American Museum of Natural History, New York; Colin John McCarthy, Natural History Museum, London; Robert Frederick Inger, Alan Resetar and Harold Knight Voris, Field Museum of Natural History, Chicago; Adria Katz, Oceanean Collection, University Museum, University of Pennsylvania, Philadelphia; José Rosado and Van Wallach, Museum of Comparative Zoology, Cambridge, MA; Edouard-Raoul Brygoo and Patrick David, Muséum National d'Histoire Naturelle, Paris; Marinus Charles Hoogmoed, Nationaal Natuurhistorisch Museum, Leiden; Ulrich Manthey, Society for Southeast Asian Herpetology, Berlin; Charles Leh, Sarawak Museum, Kuching; Kelvin Kok Peng Lim, Peter Kee Lin Ng and Chang Man Yang, Raffles Museum of Biodiversity Research, National University of Singapore; Ronald Ian Crombie and George Robert Zug, National Museum of Natural History, Smithsonian Institution, Washington, D.C.; and Leobertus van Tuijl, Zoological Museum, Amsterdam. Kraig Adler, Aaron M. Bauer, Patrick David, Siegfried Eck, Uwe Fritz, Robert Frederick Inger, Ulrich Manthey, Tyson Roberts, Robert Butler Stuebing and Van Wallach provided information and/or comments on the

Manuscript preparation was supported by UNIMAS, and I thank Prof. Ghazally Ismail, Fatimah Abang, Andrew Alek Tuen and my other colleagues at the Institute of Biodiversity and Environmental Conservation, for their support.

LITERATURE

- Andersson, L. G. (1923): Some reptiles and batrachians from central Borneo. Meddelelser fra det Zoologiske Museum Kristiana 7: 120–125.
- Anonymous. (1898): Death of Mr. Alfred Hart Everett. Sarawak Gazette July, **1898**: 136–137.

- Anonymous. (1899): [Proceedings of the Society.]. Proceedings of the Zoological Society of London 1899: 596–597.
- ANONYMOUS. (1949): Annual report on Sarawak for the year 1948. Sarawak Museum, Kuching. [3] + 94 pp.
- Anonymous. (1950): Annual report on Sarawak for the year 1949. Sarawak Museum, Kuching. [3] + 115 pp.
- BACON, J. P. (1967): Systematic status of three scincid lizards (genus *Sphenomorphus*) from Borneo. Fieldiana Zoology **51**: 63–76.
- BANKS, E. (1931): Some measurements of the estuary crocodile (*Crocodylus porosus*) from Sarawak. Journal of the Bombay Natural History Society **33**: 1086–1088.
- BANKS, E. (1937): The breeding of the edible turtle (*Chelonia mydas*). Sarawak Museum Journal 4: 523–532.
- BANKS, E. (1983): Reminiscence of a Curator. Sarawak Museum Journal, new series 32: 59–60.
- BARBOUR, T. (1904a): A new species of flying lizard from Sarawak, Borneo. Proceedings of the Biological Society of Washington 16: 59–60.
- BARBOUR, T. (1904b): A new batrachian from Sarawak, Borneo. Proceedings of the Biological Society of Washington 17: 51–52.
- BARBOUR, T. (1921): A new Bornean lizard. Proceedings of the New England Zoological Club 7: 87–89.
- BARBOUR, T. & NOBLE, G. K. (1916): New amphibians and a new reptile from Sarawak. Proceedings of New England Zoological Club 6: 19–2, pl. II.
- BARTLETT, E. (1894a): Notes on the chelonians; tortoises and turtles, found in Borneo and the adjacent islands. Sarawak Gazette **24**: 187–188.
- BARTLETT, E. (1894b): Notes on the batrachians, or frogs and toads of Borneo and the adjacent islands. Sarawak Gazette **24**: 202–204.
- BARTLETT, E. (1895a): Notes on tortoises. No. 2. Sarawak Gazette 25: 29–30.
- BARTLETT, E. (1895b): Notes on tortoises. No. 3. Sarawak Gazette **25**: 83–84.
- BARTLETT, E. (1895c): Notes on the snakes of Borneo and the adjacent islands. Sarawak Gazette **25**: 160–162.
- BARTLETT, E. (1895d): Notes on the snakes of Borneo and the adjacent islands. Part II. Sarawak Gazette **25**: 182–184
- BARTLETT, E. (1895°): The crocodiles and lizards of Borneo in the Sarawak Museum, with descriptions of supposed new species, and the variation of colours in the several species during life. Journal of the Straits Branch of the Royal Asiatic Society **1895**(28): 73–96.
- BARTLETT, E. (1896a): Notes on the snakes of Borneo and the adjacent islands. Part III. Sarawak Gazette **26**: 153–157.
- BARTLETT, E. (1896b): Notes on tortoises. No. 4. Sarawak Gazette **26**: 113.
- BARTLETT, E. (1896c): Notes on the snakes. Part IV. Sarawak Gazette 26: 241.
- BARTLETT, E. (1896d): The ethnological, zoological, and botanical note book of Sarawak. Domingo J. J. Rodrigues, Government Printer, Kuching. 238 pp.
- BASTIN, J. (1986): Introduction. pp: vii–xxvii in: WALLACE, A. R. The Malay Archipelago. The land of the orang-utan and the bird of paradise. Oxford University Press, Kuala Lumpur.
- BAKER, D. B. (2001): Alfred Russel Wallace's record of his consignments to Samuel Stevens, 1854–1861. Zoologisches Mededelingen **75**(16):251–341.

- BAUER, A. M., GÜNTHER, R. & KLIPFEL, M. (1995): The herpetological contributions of Wilhelm C. H. Peters (1815–1883). Society for the Study of Amphibians and Reptiles, Ithaca, New York. 714 pp.
- BECCARI, O. (1902): Nelle foreste di Borneo: viaggi e ricerche di un naturalista. Tipografia di Salvador Landi, Firenze. xvi + 667 pp, 13 pls., 4 maps. [Reprinted 1921, Fratelli Alinari Societá Anonima, Instituto di Edizioni Artistische, Firenze. xvi + 469 pp, 70 pls.; English translation by E. H. GIGLIOLO, edited by F. H. H. GUILLEMARD, 1904, Wanderings in the great forests of Borneo. Travels and researches of a naturalist in Sarawak. Archibald Constable & Co. Ltd., London. vxxiv + 424. Reprinted, 1986, 1989, Oxford University Press, Singapore].
- BLEEKER, P. (1857): Berigt omtrent eenige reptiliën von Sumatra, Borneo, Batjan en Boero. Natuurkundig Tijdschrift voor Nederlandsch Indië uitgegeven door de Koninklijke Natuurkundige Vereeniging Nederlandsch Indie 13: 470–475.
- BLEEKER, P. (1859a): Eene verzameling reptilien en visschen van Sinkawang (wetkust van Borneo). Natuurkundig Tijdschrift voor Nederlandsch Indië uitgegeven door de Koninklijke Natuurkundige Vereeniging Nederlandsch Indie 16: 188–189.
- BLEEKER, P. (1859b): Reptiliën van Sintang. Natuurkundig Tijdschrift voor Nederlandsch Indië uitgegeven door de Koninklijke Natuurkundige Vereeniging Nederlandsch Indie **20**: 200–201.
- BLEEKER, P. (1859c): Verslag van reptiliën en visschen van Westlijk Borneo, aangeboden door J. H. A. B. Sonnemann Rebentisch. Natuurkundig Tijdschrift voor Nederlandsch Indië uitgegeven door de Koninklijke Natuurkundige Vereeniging Nederlandsch Indie 16: 433–441.
- BOULENGER, G. A. (1887): On new reptiles and batrachians from North Borneo. Annals and Magazine of Natural History (5)20: 95–97.
- BOULENGER, G. A. (1891): Remarks on the herpetological fauna of Mount Kina Baloo, North Borneo. Annals and Magazine of Natural History (6)7: 341–345.
- BOULENGER, G. A. (1892): An account of the reptiles and batrachians collected by Mr. C. Hose on Mt. Dulit, Borneo. Proceedings of the Zoological Society of London 1892: 505–508.
- BOULENGER, G. A. (1893): Descriptions of new reptiles and batrachians obtained in Borneo by Mr. A. Everett and Mr. C. Hose. Proceedings of the Zoological Society of London 1893: 522–528.
- BOULENGER, G. A. (1895a): Descriptions of two new snakes of the genus *Calamaria*. Annals and Magazine of Natural History (6)**16**: 17.
- BOULENGER, G. A. (1895b): Descriptions of four new batrachians discovered by Mr. Charles Hose in Borneo. Annals and Magazine of Natural History (6)16: 169–171.
- BOULENGER, G. A. (1896): Descriptions of two new batrachians obtained by Mr. A. Everett on Mount Kina Balu, North Borneo. Annals and Magazine of Natural History (6)17: 449–450.
- BOULENGER, G. A. (1899): Descriptions of three new reptiles and a new batrachian from Mount Kina Balu, North Borneo. Annals and Magazine of Natural History (7)4: 451–454.

- BOULENGER, G. A, (1900): Descriptions of new reptiles and batrachians from Borneo. Proceedings of the Zoological Society of London 1900: 182–187; pls. XIV–XVII.
- BOULENGER, G. A. (1906): Reptiles and batrachians. pp: 517–531 in: The history of the collections contained in the Natural History Departments of the British Museum. Vol. II. Separate historical accounts of the several collections included in the Departments of Zoology. British Museum, London.
- BRONGERSMA, L. D. (1928): Neue Reptilien aus dem Zoologischen Museum Amsterdam. Zoologischen Anzeiger 1928: 251–157.
- BRONGERSMA, L. D. (1937): On a small collection of Amphibia from central east Borneo. Zoologische Mededelingen 20: 6–9, pl. I.
- BROOKE, C. (1906): Order No. IV, 1906. Collectors. Sarawak Gazette July, 1906: 157.
- BROWN A. E. (1902): A collection of reptiles and batrachians from Borneo and the Loo Choo Islands. Proceedings of the Academy of Natural Sciences of Philadelphia 54: 175–186.
- Buijs, D. W., Witkamp, H., Endert, F. H. Siebers, H. C. & Bosch, F. D. K. (1927): Midden-Oost-Borneo Expeditie 1925. Uit comite voor Wetenschappelijke onderzoekingen met medewerking van de Heeren D. W. Buijs, kapitein der Infanterie, H. Witkamp, particulier geoloog, F. H. Endert, opperhoutvester, en H. C. Siebers, assistent bij het Zoölogisch Museum te Buitenzorg en Dr. D. F. K. Bosch, Hoofd van den oudheidkundigen Dienst, met 155 illustraties naar foto's, 21 pen-teekeningen en 4 kaarten. Kolff, Weltevreden. [iii] + [1] + 423 pp., 1 folding map.
- CAPOCACCIA, L. (1957): Catalogo dei tipi di anfibi del Museo Civico di Storia Naturale di Genova. Annali del Museo Civico di Storia Naturale di Genova 69: 208– 222
- CAPOCACCIA, L. (1961): Catalogo dei tipi di rettili del Museo Civico di Storia Naturale di Genova. Annali del Museo Civico di Storia Naturale di Genova 72: 86– 111
- CHAPER, M. (1894a): Voyage à Borneo. Annales de Géographie 3: 371–381.
- CHAPER, M. (1894b): Huit cents kilometres à l'interieur de l'ile de Borneo. Bulletin de la Société de Géographie Commerciale de Paris 16: 266–297.
- CHIN, L. (1976): Tom Harrisson and the green turtles of Sarawak. Borneo Research Bulletin **8**(2): 63–69.
- COCHRAN, D. M. (1923): Two new species of *Calamaria* from Borneo. Proceedings of the Biological Society of Washington 36: 91–92.
- COCHRAN, D. M. (1926): A new pelobatid batrachian from Borneo. Journal of the Washington Academy of Sciences **16**: 446–447.
- COWAN, C. F. (1968): Sir Hugh Low, G.C.M.G. (1824–1905). Journal of the Society for the Bibliography of Natural History 4(7): 327–343.
- CRANBROOK [Lord]. (1986): Introduction. pp: v-ix in: BECCARI, O. Wanderings in the great forests of Borneo by Odoardo BECCARI. Oxford University Press, Singapore, Oxford and New York. [Reprinted 1993].
- CRANBROOK [Earl of] & LEH, C. (1983): A history of zoology in Sarawak. Sarawak Museum Journal new series 32(53): 15–33, 6 pls.

- DAS, I. (2000): Herpetological contributions of Edward Bartlett (ca. 1836–1908), pioneering herpetologist in Borneo. Newsletter and Bulletin of the International Society for the History and Bibliography of Herpetology 2(1): 17–19.
- DAS, I. (2004): A pocket guide: Lizards of Borneo. Natural History Publications (Borneo) Sdn Bhd., Kota Kinabalu. vi + 83 pp.
- DAS, I. & BAUER, A. M. (1998): Systematics and biogeography of Bornean geckos of the genus *Cnemaspis* STRAUCH, 1887 (Sauria: Gekkonidae), with the description of a new species. Raffles Bulletin of Zoology **46**(1): 11–28.
- DAS, I. & HAAS, A. (2003): A new species of *Kalophrynus* (Anura: Microhylidae) from the highlands of northcentral Borneo. Raffles Bulletin of Zoology **51**(1): 109–113.
- DAS, I. & LIM, K. K. P. (2003): Two new species of *Dibamus* (Squamata: Dibamidae) from Borneo. Raffles Bulletin of Zoology **51**(1): 143–147.
- DAVIES, K. C. & HULL, J. (1976): The zoological collections of the Oxford University Museum, Oxford. vii + 136 pp.
- DRING, J. C. (1983a): Some frogs from Sarawak. Amphibia-Reptilia 4: 103–115.
- DRING, J. C. (1983b): Frogs of the genus *Leptobrachella* (Pelobatidae). Amphibia-Reptilia 4: 89–102.
- DRING, J. C. (1987): Bornean treefrogs of the genus Philautus (Rhacophoridae). Amphibia-Reptilia 8: 19– 47
- DURRANS, B. (1993): Introduction. pp: viii–xli in: Hose, C. & McDougall, W. The pagan tribes of Borneo. Volume One. Oxford University Press, Singapore. [Reprint of the original 1912 edition].
- EARL, G. W. (1837): The eastern seas, or voyages and adventures in 1832–33–34, comprising a tour of the island of Java– visits to Borneo, the Malay Peninsula, Siam & c., also an account of the present state of Singapore, with observations on the commercial resources of the Archipelago. Wm H. Allen and Co., London. xii + 461 pp., 2 folding maps.
- EDELING, A. C. J. (1864a): Recherches sur la faune herpétologique de Bornéo. Nederlandsch Tijdschrift voor de Dierkunde 2: 200–204.
- EDELING, A. C. J. (1864b): Reptiliën van Batavia en Bornéo's westkust. Natuurkundig Tijdschrift voor Nederlandsch Indië uitgegeven door de Koninklijke Natuurkundige Vereeniging Nederlandsch Indie 26: 433.
- FISCHER, J. G. (1885): Ueber eine kollektion von Amphibien und Reptilien aus Sudost-Borneo. Archiv für Naturgeschichte 51: 41–72.
- Fransen, C. H. J. M., Holthius, L. B. & Adema, J. P. H. M. (1997): Type-catalogue of the decapod Crustacea in the collections of the Nationaal Natuurhistorisch Museum, with appendices of pre–1900 collectors and material. Zoologische Verhandelingen **311**: i–xvi + 1–344.
- FURNESS, W. H. (1897): Glimpses of Borneo. Proceedings of the American Philosophical Society **35**: 309–320.
- GALLOP, A. T. (1995): Early views of Indonesia: drawings from the British Library. University of Hawai'i Press, Honolulu. 128 pp.
- GOOR, J. VAN. (1995): A. W. Nieuwenhuis (1864–1953). Explorer of central Borneo. Pp. 229–280 in: King, V.

- T. (ed.) Explorers of south-east Asia. Oxford University Press, Kuala Lumpur.
- GRIJS, P. DE. (1937): Eine neue Eidechse aus Nord-Borneo: Calotes kinabaluensis. Zoologische Anzeiger 117: 136–138
- GULLICK, J. M. (1993): Introduction. pp. vii—xix in: HORNADAY, W. T. The experiences of a hunter and naturalist in the Malay Peninsula and Borneo. Oxford University Press, Kuala Lumpur. [Reprint of the second part of the work by W. T. HORNADAY, 1885].
- GÜNTHER, A. C. L. (1872): On the reptiles and amphibians of Borneo. Proceedings of the Zoological Society of London 1872: 586–600, pls. XXXV–XXXX.
- GÜNTHER, R. & MANTHEY, U. (1995): *Xenophidion*, a new genus with two new species of snakes from Malaysia (Serpentes, Colubridae). Amphibia-Reptilia **16**: 229–240.
- HAILE, N. S. & INGER, R. F. (1959): Two new frogs from Sarawak. Sarawak Museum Journal new series 9: 13-14
- HANITSCH, R. (1900): An expedition to Mount Kinabalu, British North Borneo. Journal of the Straits Branch of the Royal Asiatic Society **34**: 49–88.
- HARLOW, V. (1955): Early British pioneers in Borneo. Sarawak Museum Journal, new series 6: 443–451.
- HARRISSON, B. (1961): Lanthanotus borneensis habits and observations. Sarawak Museum Journal 10: 17–18.
- HARRISSON, B. (1962): Beobachtungen am lebenden Taubwaran *Lanthanotus borneensis*. Natur und Museum **92**(2): 38–45.
- HARRISSON, T. (1961): Second to none: our first Curator (and others). Sarawak Museum Journal, new series 10: 17–29; pls. II–V.
- HARRISSON, T. (1963): *Lanthanotus borneensis*: the first 30 live ones. Sarawak Museum Journal, new series 11: 299–301.
- HARRISSON, T. & HAILE, N. S. (1961): A rare earless monitor lizard from Borneo. Nature 190(4782): 1213.
- HIKIDA, T. (1982): A new limbless *Brachymeles* (Sauria: Scincidae) from Mt. Kinabalu, North Borneo. Copeia **1982**: 840–844.
- HIKIDA, T. (1990): Bornean gekkonid lizards of the genus *Cyrtodactylus* (Lacertilia: Gekkonidae) with descriptions of three new species. Japanese Journal of Herpetology **13**: 91–107.
- HORNADAY, W. T. (1885): Two years in the jungle. The experiences of a hunter and naturalist in India, Ceylon, the Malay Peninsula and Borneo. Charles Scribner's Sons, New York. 510 pp., 50 pls., 2 folding maps.
- HORSFIELD, T. (1821–1824): Zoological researches in Java, and the neighbouring islands. Black, Kingsbury, Parbury & Allen, London. 291 pp., 71 pls.
- HUSSON, A. M. & HOLTHIUS, L. B. (1955): The dates of publication of "Verhandelingen over de Natuurlijke Geschiedenis der Nederlandsche Overzeesche Bezittingen" edited by C. J. Temminck. Zoologische Mededelingen 34: 17–24.
- INGER, R. F. (1957): A new gecko of the genus *Cyrtodacty-lus* with a key to the species from Borneo and the Philippines islands. Sarawak Museum Journal, new series **8**: 261–264.
- INGER, R. F. (1958a): A new toad from Sarawak. Sarawak Museum Journal, new series 8: 476–478.

- INGER, R. F. (1958b): Three new species related to Sphenomorphus variegatus (Peters). Fieldiana Zoology 39: 257–268.
- INGER, R. F. (1966): The systematics and zoogeography of the Amphibia of Borneo. Fieldiana Zoology **52**: 1–402.
- INGER, R. F. (1967): A new colubrid snake of the genus *Stegonotus* from Borneo. Fieldiana Zoology **51**(5): 77–83
- INGER, R. F. (1989): Four new species of frogs from Borneo. Malayan Nature Journal 42: 229–243.
- INGER, R. F., BOEADI & TAUFIK, A. (1996): New species of ranid frogs (Amphibia: Anura) from Central Kalimantan, Borneo. Raffles Bulletin of Zoology 44(2): 363–369.
- INGER, R. F. & FROGNER, K. J. (1980): New species of narrow-mouth frogs (genus *Microhyla*) from Borneo. Sarawak Museum Journal, new series **27**: 311–322.
- INGER, R. F. & GRITIS, P. A. (1983): Variation in Bornean frogs of the *Amolops jerboa* species group, with description of two new species. Fieldiana Zoology 19: 1– 13.
- INGER, R. F. & LEVITON, A. E. (1961): A new colubrid snake of the genus *Pseudorabdion* from Sumatra. Fieldiana Zoology **44**: 45–57.
- INGER, R. F. & STUEBING, R. B. (1991): A new species of frog of the genus *Leptobrachella* SMITH (Anura: Pelobatidae) with a key to the species from Borneo. Raffles Bulletin of Zoology **39**: 99–103.
- INGER, R. F. & STUEBING, R. B. (1994): First record of the lizard genus *Pseudocalotes* (Lacertilia; Agamidae) in Borneo, with description of a new species. Raffles Bulletin of Zoology **42**: 961–965.
- INGER, R. F. & STUEBING, R. B. (1996): Two new species of frogs from southeastern Sarawak. Raffles Bulletin of Zoology 44: 543–549.
- INGER, R. F. & STUEBING, R. B. (1997): A field guide to the frogs of Borneo. Natural History Publications (Borneo) Sdn. Bhd., Kota Kinabalu. x + 205 pp.
- INGER, R. F., STUEBING, R. B. & TAN, F. L. (1995): New species and new records of anurans from Borneo. Raffles Bulletin of Zoology **43**: 115–131.
- ISKANDAR, D. T. (1978): A new species of *Barbourula*: First record of a discoglossid anuran from Borneo. Copeia **1978**: 564–566.
- JENKINS, D. V. (1996): The first hundred years. A short account of the expeditions to Mt. Kinabalu 1851–1950.pp: 41–67 in: Wong, K.-M. & PHILLIPPS, A. (eds.) Kinabalu. Summit of Borneo. Sabah Society/Sabah Parks, Kota Kinabalu.
- JONG, J. K. DE. (1928): Beiträge zur Kenntnis der Reptilienfauna von Niederländisch-ost-Indien. Treubia 10(2–3): 145–151.
- JONG, J. K. DE. (1930): Notes on some reptiles from the Dutch-East-Indies. Treubia **12**(1): 115–119.
- KATZ, A. H. (1988): Borneo to Philadelphia. The Furness-Hiller-Harrison collections. Expedition, University Museum Magazine of Archaeology/Anthropology, University of Pennsylvania 30: 65–72.
- KIEW, B. H. (1984a): A new species of burrowing frog (*Calluella flava* sp. nov.) from Borneo. Malayan Nature Journal **37**: 163–166.
- KIEW, B. H. (1984b): A new species of frog (*Kalophrynus baluensis* n. sp.) from Mount Kinabalu, Sabah, Malaysia. Malayan Nature Journal **38**: 151–156.

- KING, V. (1991): Introduction. pp: iii–xviii in: LUMHOLTZ, C. Through central Borneo. An account of two years' travel in the land of the head-hunters between the years 1913 and 1917. Oxford University Press, Singapore.
- KINNEAR, N. B. (1953): The history of Indian mammalogy and ornithology. Journal of the Bombay Natural History Society **50**: 766–778, pls. I–III.
- LEH, C. (1993): Development of the Sarawak Museum 1886–1993. Sarawak Gazette **70**: 16–20.
- LIDTH DE JEUDE, T. W. VAN. (1893): On reptiles from North Borneo. Notes from the Leyden Museum 15: 250–257.
- LIDTH DE JEUDE, T. W. VAN. (1905): Zoological results of the Dutch scientific expedition to central Borneo. The reptiles. Part I. Lizards. Notes from the Leyden Museum 25(16): 187–202.
- LIEFTINCK, M. A. & VAN BEMMEL, A. C. V. (1941): Het Zoölogisch Museum te Buitenzorg Veertig Jaar. Natuurkundig Tijdschrift voor Nederlandsch Indië uitgegeven door de Koninklijke Natuurkundige Vereeniging Nederlandsch Indie 101: 249–257.
- LIEFTINCK, M. A. & VAN BEMMEL, A. C. V. (1945): The development of the Zoological Museum at Buitenzorg. pp: 226–231 in: HONIG, P. & VERDOORN, F. (eds.) Science and scientists in the Netherlands Indies. Board for the Netherlands Indies, Surinam and Curaçao, New York.
- LIM, B.-L. & DAS, I. (1999): Turtles of Borneo and Peninsular Malaysia. Natural History Publications (Borneo) Sdn Bhd., Kota Kinabalu. xii + 151 pp.
- LOVERIDGE, A. (1938): New snakes of the genera *Calamaria, Bungarus* and *Trimeresurus* from Mount Kinabalu, North Borneo. Proceedings of the Biological Society of Washington **51**: 43–46.
- LOVERIDGE, A. (1944): A new elapid snake of the genus *Maticora* from Sarawak, Borneo. Proceedings of the Biological Society of Washington 57: 105–106.
- Low, H. (1848): Sarawak. Its inhabitants and productions being notes during a residence in that country with His Excellency Mr. Brooke. Richard Bentley, London. xxiv + 416 pp. [Reprinted 1990 by Pustaka Delta Pelajaran Sdn Bhd., Petaling Jaya].
- LUMHOLTZ, C. (1920): Through central Borneo. An account of two years' travel in the land of the head-hunters between the years 1913 and 1917. Charles Scribner's Sons, New York. xix + 467 pp., 1 folding map.
- MAITLAND, G. (1998): Sarawak Museum, the museum of Borneo. Sarawak Museum Journal, new series **53**(74): 95–107.
- MALKMUS, R. (1992): Leptolalax pictus sp.n. (Anura: Pelobatidae) vom Mount Kinabalu/Nord-Borneo. Sauria, Berlin 14(3): 3–6.
- MALKMUS, R. (1996): Leptobrachium gunungensis sp. n. (Anura: Pelobatidae) vom Mount Kinabalu, Nord-Borneo. Mitteilungen aus dem Zoologischen Museum in Berlin 72: 297–301.
- MALKMUS, R. & MATSUI, M. (1997): *Megophrys kobayashii*, ein neuer pelobatider Frosch vom Mount Kinabalu. Sauria, Berlin **19**(1): 31–37.
- MALKMUS, R. & REIDE, K. (1996): Die Baumfrösche der Gattung *Philautus* vom Mount Kinabalu Teil I: Überblick und die *aurifasciatus*-Gruppe mit Beschreibung einer neuen Art (*Philautus saueri* n. sp.). Sauria, Berlin **18**(1): 27–37.

- MANTHEY, U. & GROSSMANN, W. (1997): Amphibien & Reptilien Südostasiens. Natur und Tier, Münster, 512 pp.
- MANTHEY, U. & STEIOF, C. (1998): Rhacophorus cyanopunctatus sp. n. (Anura: Rhacophoridae), ein neuer Flugfrosch von der Malaiischen Halbinsel, Sumatra und Borneo. Sauria, Berlin 20(3): 37-42.
- MARSDEN, W. (1811): The history of Sumatra, containing an account of the government, laws, customs, and manners of the native inhabitants, with descriptions of the natural productions, and a relation of the ancient political state of that island. Third edition. Oxford University Press, London. viii + 479 (+ 8) pp., pls. I–XIX, 1 folding map.
- MATSUI, M. (1986): Three new species of Amolops from Borneo (Amphibia: Anura, Ranidae). Copeia 1986: 623-630.
- MEDWAY [Lord]. (1965): Mammals of Borneo. Field keys and an annotated checklist. Monograph of the Malaysian Branch Royal Asiatic Society, Singapore. xiv +
- MEDWAY [Lord]. (1976): Tom Harrisson the ornithologist, and Bornean ornithology. Borneo Research Bulletin
- MERTENS, R. (1924): Über einige Reptilien aus Borneo. Zoologischen Anzeiger 60: 155–159.
- MERTENS, R. (1961): Lanthanotus: An important lizard in evolution. Sarawak Museum Journal 10: 283-285.
- MERTENS, R. (1962): Lanthanotus: eine Stammesgeschichtlich bedeutsame Eidechse? Natur und Tier **92**(2): 35–37.
- MERTENS, R. (1966): The keeping of Borneo earless monitor (Lanthanotus borneensis). Sarawak Museum Journal 14: 320-322.
- MERTENS, R. (1970): Zum Ernährungsproblem des Taubwarans, Lanthanotus borneensis. Salamandra 6: 133-
- MJÖBERG, E. (1928): I Tropikermas villande urskogar. Bokförlaget Natur och Kultur, Stockholm. 212 pp., index, 1 map. [English translation by A. BARWELL, 1930, Forest life and adventures in the Malay Archipelago. George Allen & Unwin Ltd., London. 201 pp. +1 folding map].
- MOCQUARD, F. (1890): Recherches sur la faune herpétologique des Iles de Bornéo et de Palawan. Nouvelles Archives du Muséum National d'Histoire Naturelle Ser. 3 2: 115–168.
- MOCQUARD, F. (1892): Voyage de M. Chaper a Borneo. Nouvelle contribution a la faune herpétologique de Borneo. Mémoires de la Société Zoologique de France 5: 190-206, pl. VII.
- MOTLEY, J. & DILLWYN, L. L. (1855): Contributions to the natural history of Labuan and adjacent coasts of Borneo. John van Voorst, London. 62 pp., 12 pls.
- MOULTON, J. C. (1914): Hand-list of the birds of Borneo. Journal of the Straits Branch of the Royal Asiatic Society 67: 125-191.
- MÜLLER, S. (1838): Waarnemingen over de Indische krokodillen en beschrijving van enne nieuwe soort. Tijdschrift voor Natuurlijke Geschiedenis en Physiologie **5**: 61–87.
- MÜLLER, S. & SCHLEGEL, H. (1844): Over de Krokodillen van den Indischen Archipel. In: C. J. TEMMINCK (ed.). Verhandlingen over de Natuurlijke Geschiedenis der Nederlandsche Overzeesche Bezittingen, door de Leden der Natuurkundige Commissie in Ost-Indië en An-

- dere Schrijvers. Zoologie. Luchtmans & van der Hoek,
- Leiden. 70 pp., 3 pls. NIEUWENHUIS, A. W. (1900): In centraal Borneo. Reis van Pontianak naar Samarinda. Brill, Leiden. viii + 308 pp.,
- NUTTALL, G. H. F. (1927): The contributions to science of Charles Hose, Hon. Sc. D. (Cantab.) (1887–1927). pp: 272-287 in: HOSE, C. Fifty years of romance and research or a jungle-wallah at large. Hutchinson & Co. (Publishers) Ltd., London.
- OTA, H. & HIKIDA, T. (1988): A new species of Lepidodactylus (Sauria: Gekkonidae) from Sabah, Malaysia. Copeia 1988(3): 616-621.
- OTA, H. & HIKIDA, T. (1991): Taxonomic review of the lizards of the genus *Calotes* CUVIER 1817 (Agamidae: Squamata) from Sabah, Malaysia. Tropical Zoology 4: 179–192.
- OTA, H., SENGOKU, S. & HIKIDA, T. (1996): Two new species of Luperosaurus (Reptilia: Gekkonidae) from Borneo. Copeia 1996: 433-439.
- PENDLEBURY, H. M. & CHASEN, F. N. (1932): A zoological expedition to Mt. Kinabalu, British North Borneo (1929). Journal of the Federated Malay States Museum **17**: 1–38.
- PERACCA, M.-G. ("1899" 1900): Reptiles et batraciens de l'Archipel Malais. Revue Suisse de Zoologie 7: 321-330. Reprinted 1907, Reptiles et batraciens de l'Archipel Malais. pp. 491-500 in: Voyage de M.M. M. Bedot et C. Pictet dans l'Archipel Malais. Tome 1. Imprimerie W. Kündig & Fils, Genève]. PETERS, W. C. H. (1861): Eine zweite Übersicht (vergl.
- Monatsberichte 1859 p. 269) der von Hrn. F. Jagor auf Malacca, Java, Borneo und den Philippinen gesammelten und dem Kgl. zoologischen Museum übersandten Schlangen. Monatsberichte der Königlich Akademie der Wissenschaften zu Berlin 1861: 683-691.
- PETERS, W. C. H. (1862): Präparate vor zur craniologischen Unterscheidung der Schlangengattung Elaps und über eine neue Art der Gattung Simotes, S. semicinctus. Monatsberichte der Königlich Akademie der Wissenschaften zu Berlin 1862: 635-638.
- PETERS, W. C. H. (1871): Über neue Reptilien aus Ostafrica und Sarawak (Borneo), vorzüglich aus der Sammlung des Hern. Marquis J. Doria zu Genua. Monatsberichte der Königlich Akademie der Wissenschaften zu Berlin 1871: 566-581
- PETERS, W. C. H. (1872): Übersicht der von den Herren M. G. Doria und D. O. Beccari in Sarawak auf Borneo von 1865 bis 1868 gesammelten Amphibien. Annali del Museo Civico di Storia Naturale di Genova 3: 27–45.
- PETERS, W. C. H. & DORIA, G. (1878): Catalogo dei rettili e dei batraci raccolti da O. Beccari, L. M. D'Albertis e A. A. Bruijn nella sotto-regione Austro-Malese. Annali del Museo Civico di Storia Naturale di Genova 13: 323-450.
- POULTON, E. B. (1916): Editor's introduction biographical and general. pp: xiii-xxii in: SHELFORD, R. W. C. A naturalist in Borneo. T. Fisher Unwin Ltd., London. xxvii + [1] + 331 pp., pls. I–XXXII.
- RAFFLES, T. S. (1817): The history of Java, 2 Vols. East India Company and John Murray, London. lviii + 479 pp., 25 pls.; viii + 291 + cclx pp., 36 pls. [Reprinted 1965, Oxford University Press, Kuala Lumpur].
- RAFFLES, T. S. (1822): Second part of the descriptive catalogue of a zoological collection made in the island of

- Sumatra and its vicinity. Transactions of the Linnean Society of London 13(2): 277–340.
- RITCHIE, J. & JONG, J. (2002): Man-eating crocodiles of Borneo. With chapters, "The natural history of crocodiles" (pp. 1–4) and "A bibliography of the crocodiles of Borneo" (pp. 112–117) by I. DAS. Natural History Publications (Borneo), Sdn. Bhd., Kota Kinabalu. [6] + 118 pp.
- ROBERTS, T. R. (1989): The freshwater fishes of Western Borneo (Kalimantan Barat, Indonesia). Memoirs of the California Academy of Sciences (14): i–xii + 1–210.
- Ross, C. A. (1990): Crocodylus raninus S. Müller and Schlegel, a valid species of crocodile (Reptilia: Crocodylia) from Borneo. Proceedings of the Biological Society of Washington 103: 955–961.
- SAID, S. (1999): The history of Sarawak: where do we begin? Sarawak Museum Journal **54**: 211–224.
- SAINT, M. (1987): Wallace, Becarri (sic) and Bishop McDougall. Sarawak Gazette 113: 30–31.
- SCHLEGEL, H. (1837a): Essai sur la physionomie des serpens. Vol. 1. Kips, Hz and van Stockum, Amsterdam and Arnz & Comp., Leide [Leiden]. xxviii + 251 pp.
- SCHLEGEL, H. (1837b): Essai sur la physionomie des serpens. Vol. 2. Kips, Hz and van Stockum, Amsterdam and Arnz & Comp., Leide [Leiden]. 606 + xiii pp.
- SHELFORD, R. W. C. (1901a): A list of the reptiles of Borneo. Journal of the Straits Branch of the Royal Asiatic Society (35): 43–68.
- SHELFORD, R. W. C. (1901b): On two new snakes from Borneo. Annals and Magazine of Natural History (7)8: 516–517.
- SHELFORD, R. W. C. (1902): A list of the reptiles of Borneo Addenda et corrigenda. Journal of the Straits Branch of the Royal Asiatic Society (38): 133–135.
- SHELFORD, R. W. C. (1905a): A new lizard and a new frog from Borneo. Annals and Magazine of Natural History (7)15: 208–210.
- SHELFORD, R. W. C. (1905b): "Wanderings in the great forests of Borneo" by Odardo Beccari. Sc. D., F.L.M.S., C.M.Z.S. etc. Sarawak Gazette July, **1905**: 160–161.
- SHELFORD, R. W. C. (1906): A note on "flying" snakes. Proceedings of the Zoological Society of London 1906: 227–230
- SHELFORD, R. W. C. (1916): A naturalist in Borneo. T. Fisher Unwin Ltd., London. xxvii + 331 pp.
- SMITH, M. A. (1921): Two new batrachians and a new snake from Borneo and the Malay Peninsula. Journal of the Federated Malay States Museum 10: 197–199, pl. II.
- SMITH, M. A. (1925a): On a collection of reptiles and amphibians from Mt. Murud, Borneo. Sarawak Museum Journal 3(1): 5–14.
- SMITH, M. A. (1925b): Contribution to the herpetology of Borneo. Sarawak Museum Journal 3(8): 15–34.
- SMITH, M. A. (1931): The herpetology of Mt. Kinabalu, North Borneo, 13,455 ft. Bulletin of the Raffles Museum 5(1): 3–32.
- SMYTHIES, B. E. (1955): "A Borneo Livingstone" (Dr. A. W. Nieuwenhuis). Sarawak Museum Journal, new series 6: 493–509.
- SMYTHIES, B. E. (1957): An annotated checklist of the birds of Borneo. Sarawak Museum Journal, new series 7: xi–xv, 523–818, 1 folding map.

- SMYTHIES, B. E. (1975): Obituary (of Tom Harrisson). Sarawak Museum Journal, new series 23: 311–312; 1 pl.
- STEINDACHNER, F. (1877): Über zwei neue Eidechsen-Arten aus Süd-Amerika und Borneo. Denkschriften der Kaiserlichen Akademie der Wissenschaften, Mathematisch-Naturwissenschaftliche Classe, Wien 38: 93–96, pls. I–II.
- STEJNEGER, L. H. (1922): List of snakes collected in Bulungan, northeast Borneo by Carl Lumholtz, 1914. Nyt Magazin for Naturvidensk **60**(2): 77–84.
- STONE, W. (1900): Description of a new rabbit from the Liu Kiu Islands and a new flying squirrel from Borneo. Proceedings of the Academy of Natural Sciences of Philadelphia 1900: 460–463.
- STUEBING, R. B. (1985): Batang Lupar crocodiles: happy bachelors, lovesick behemoths, or nasty brutes? Malayan Naturalist **39**(1/2): 43–46.
- STUEBING, R. B. (1994): A new species of *Cylindrophis* (Serpentes: Cylindrophiidae) from Sarawak, western Borneo. Raffles Bulletin of Zoology **42**: 967–973.
- STUEBING, R. B. & INGER, R. (1999): A field guide to the snakes of Borneo. Natural History Publications (Borneo) Sdn Bhd., Kota Kinabalu. viii + 254 pp.
- STUEBING, R. B., ISMAIL, G. & SALLIH, K. (1985): On the possible causes of crocodile attacks in Batang Lupar, Sarawak. Report to the Faculty of Science and Natural Resources, Universiti Kebangsaan Malaysia- Sabah Campus, Kota Kinabalu. 45 pp.
- STUEBING, R. B., & WONG, A. (2000): A new species of frog, *Philautus erythrophthalmus* (Rhacophoridae) from southwestern Sabah, Malaysia. Raffles Bulletin of Zoology **48**: 293–296.
- SUÁREZ, T. (1999): Early mapping of southeast Asia. Periplus Editions (HK) Ltd., Singapore. 280 pp.
- TWEEDIE, M. W. F. (1949): Reptiles of the Kelabit Plateau. Sarawak Museum Journal 5: 154–155.
- VOGEL, G. & KÖHLER, G. (1996): Notes on the occurrence of Elapoidis fusca BOIE 1827 on Borneo (Reptilia: Serpentes: Colubridae). Senckenbergiana Biologica 76: 61–63.
- VOOUS, K. (1961): Birds collected by Carl LUMHOLTZ in eastern and central Borneo. Meddelelser fra det Zoologiske Museum, Oslo (71): 127–180.
- WALLACE, A. R. (1869): The Malay Archipelago: the land of the orangutan and the bird of paradise. Macmillan and Co., London. 638 pp.
- WALLACH, V. & GÜNTHER, R. (1998): Visceral anatomy of the Malaysian snake genus *Xenophidion*, including a cladistic analysis and allocation to a new family (Serpentes: Xenophidioniidae). Amphibia-Reptilia 19: 385– 404.
- WHITEHEAD, D, J. (1893): The exploration of Mount Kina Balu. Gurney & Jackson, London. xii + 317 pp., 31 pls.
- WONG, K.-M. (1995): A brief history of botanical collecting and documentation in Borneo. pp: XXI–XLI in SOEPADMA, E. & WONG, K.-M. (eds.) Tree flora of Sabah and Sarawak. Volume One. Forest Research Institute Malaysia, Kuala Lumpur.
- WRIGHT, L. R. (1970): The origin of British Borneo. University of Hong Kong Press, Hong Kong. x + 237 pp.
- Author's address: Dr. Indraneil DAS, Institute of Biodiversity and Environmental Conservation, Universiti Malaysia Sarawak, 94300 Kota Samarahan, Sarawak, Malaysia. E-mail: idas@ibec.unimas.my